



## Spare parts Catalogue

# RENAULT TRUCK C 8x4 mech. into 10x4 9 Ton Pusher Axle

Version 3

**S.T. SYSTEM TRUCK S.p.A.**



## S.T. SYSTEM TRUCK S.p.A.

*Trasformazioni e Soluzioni per Veicoli Industriali*

I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



### **Note**

---

WHEN PLACING ORDERS FOR SPARE PARTS PLEASE HAVE THE FOLLOWING INFORMATION AVAILABLE:

- **VEHICLE CHASSIS NUMBER,**
- **ASSEMBLY DRAWING NUMBER,**
- **ITEM NUMBER OR PART NUMBER.**

THIS SPARE PARTS CATALOGUE IS VALID FOR VEHICLES WITH BOTH LEFT HAND DRIVE OR RIGHT HAND DRIVE (SEE COMPONENTS "RHD").



| <b>Contents</b>                                                 | <b>Page</b> |
|-----------------------------------------------------------------|-------------|
| <b>AXLE</b> .....                                               | <b>5</b>    |
| <b>SUSPENSION</b> .....                                         | <b>7</b>    |
| <b>FUEL TANK 320 LITER GROUP</b> .....                          | <b>9</b>    |
| <b>FUEL TANK 260 LITER GROUP</b> .....                          | <b>10</b>   |
| <b>FUEL TANK 315 LITER GROUP (FOR LONG CAB)</b> .....           | <b>11</b>   |
| <b>VERTICAL BATTERIES BOX</b> .....                             | <b>12</b>   |
| <b>OIL CYLINDER (WITH AIR CENTRING)</b> .....                   | <b>13</b>   |
| <b>HYDRAULIC FITTINGS FOR OIL CYLINDER</b> .....                | <b>14</b>   |
| <b>OIL CYLINDER SEAL REPAIR KIT</b> .....                       | <b>14</b>   |
| <b>CONICAL KING PIN KIT</b> .....                               | <b>15</b>   |
| <b>HYDRAULIC PUMP ASSEMBLY</b> .....                            | <b>15</b>   |
| <b>HYDRAULIC FITTINGS FOR HYDRAULIC PUMP</b> .....              | <b>16</b>   |
| <b>FLANGE GROUP</b> .....                                       | <b>17</b>   |
| <b>BY PASS VALVE WITH THERMOSTAT ASSEMBLY</b> .....             | <b>18</b>   |
| <b>SUPPORT AND HYDRAULIC FITTINGS FOR BY PASS VALVE</b> .....   | <b>19</b>   |
| <b>OIL TANK GROUP</b> .....                                     | <b>20</b>   |
| <b>KIT FOR MODULATING VALVE ANCHORING</b> .....                 | <b>21</b>   |
| <b>RADIATOR OIL/AIR GROUP</b> .....                             | <b>22</b>   |
| <b>DISTRIBUTOR ASSEMBLY</b> .....                               | <b>23</b>   |
| <b>HYDRAULIC FITTINGS FOR DISTRIBUTOR</b> .....                 | <b>24</b>   |
| <b>COMMAND CABLE GROUP</b> .....                                | <b>25</b>   |
| <b>STEERING INVERSION GROUP (RHD)</b> .....                     | <b>26</b>   |
| <b>DISTRIBUTOR STEERING ROD GROUP</b> .....                     | <b>27</b>   |
| <b>ELECTRO-VALVE SUPPORT</b> .....                              | <b>28</b>   |
| <b>ESSICATOR GROUP SUPPORT</b> .....                            | <b>28</b>   |
| <b>AIR TANKS SUSPENSION GROUP</b> .....                         | <b>29</b>   |
| <b>AIR TANK SUPPORT</b> .....                                   | <b>30</b>   |
| <b>AIR TANK SUPPORT</b> .....                                   | <b>30</b>   |
| <b>RELAY AND "AND VALVE" FOR BRAKING SYSTEM</b> .....           | <b>31</b>   |
| <b>GROUP FITTINGS FOR AXLE LIFT AND LOAD TRANSFER</b> .....     | <b>33</b>   |
| <b>PRESSURE RELIEF VALVE GROUP (7 BAR)</b> .....                | <b>35</b>   |
| <b>GROUP FITTINGS FOR PRESSURE RELIEF VALVE (5,5 BAR)</b> ..... | <b>36</b>   |
| <b>GROUP FITTING FOR MODULATING VALVE</b> .....                 | <b>37</b>   |
| <b>BRAKE CHAMBER PIPES</b> .....                                | <b>39</b>   |
| <b>BRAKE CHAMBER 16"</b> .....                                  | <b>39</b>   |
| <b>PROXIMITY SENSOR WITH WIRED CABLE</b> .....                  | <b>40</b>   |
| <b>ELECTRICAL SUPPLY CABLE FOR STEERING (IN CABIN)</b> .....    | <b>40</b>   |




**ELECTRICAL SUPPLY CABLE FOR STEERING (CABIN - CHASSIS) ..... 41**  
**ELECTRICAL SUPPLY CABLE FOR LOW OIL LEVEL ..... 41**  
**ELECTRICAL SUPPLY CABLE FOR BY-PASS VALVE AND THERMAL SWITCH ..... 42**





## AXLE



(CODE: S08C071855)

| Pos. | Code       | Description    | QTY |
|------|------------|----------------|-----|
| 1    | S08C071855 | AXLE           | 1   |
| 2    | T.11052010 | WHEEL NUT      | 20  |
| 3    | T.04031014 | HUB CUP        | 2   |
| 4    | T.08037003 | SCREW          | 2   |
| 5    | T.04035004 | AXLE NUT       | 2   |
| 6    | T.04034015 | RING           | 2   |
| 7    | T.07049008 | ROLLER BEARING | 2   |
| 8    | T.04034010 | SPACER         | 2   |
| 9    | T.08028086 | SCREW          | 24  |
| 10   | T.04046030 | HUB            | 2   |
| 11   | T.11048012 | WHEEL STUD     | 20  |
| 12   | T.07049009 | ROLLER BEARING | 2   |
| 13   | T.07050023 | OIL SEAL       | 2   |
| 14   | T.04047028 | BRAKE DISC     | 2   |
| 15   | T.11051020 | CALIPER        | 1   |
| 15   | T.11051021 | CALIPER        | 1   |

**S.T. SYSTEM TRUCK S.p.A.***Trasformazioni e Soluzioni per Veicoli Industriali*


I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



| Pos. | Code       | Description       | QTY |
|------|------------|-------------------|-----|
| 16   | T.08028011 | SCREW             | 16  |
| 17   | T.08038005 | WASHER            | 16  |
| 18   | T.04034200 | BRAKET            | 2   |
| 19   | T.04023413 | SPACER            | 2   |
| 20   | T.08026017 | WASHER            | 12  |
| 21   | T.08028088 | SCREW             | 12  |
| 22   | T.05058191 | STEERING KNUCKLE  | 2   |
| 23   | T.12059159 | KING PIN ASSEMBLY | 1   |
| 24   | T.07040002 | GREASE NIPPLE     | 2   |
| 25   | T.08039001 | LOCKING RING      | 2   |
| 26   | T.04031080 | DISC              | 2   |
| 27   | T.07030001 | O-RING            | 2   |
| 28   | T.04032001 | STEERING PIVOT    | 2   |
| 29   | T.07049049 | BEARING           | 4   |
| 30   | T.07050030 | OIL SEAL          | 2   |
| 31   | T.07030021 | O-RING            | 2   |
| 32   | T.07050029 | OIL SEAL          | 2   |
| 33   | T.07049048 | BEARING           | 4   |
| 34   | T.04034088 | PUSHING RING      | 2   |
| 35   | T.04034001 | PUSHING RING      | 2   |
| 36   | T.08037001 | HEXAGON SCREW     | 2   |
| 37   | T.08036005 | ADAPTER SLEEVE    | 4   |
| 38   | T.04035001 | ADJUSTING NUT     | 2   |
| 39   | T.07030022 | O-RING            | 2   |
| 40   | T.04031002 | COVER             | 2   |
| 41   | T.08020002 | SCREW             | 4   |
| 42   | T.08028001 | SCREW             | 2   |
| 43   | T.08029001 | NUT               | 2   |
| 44   | T.08028038 | SCREW             | 2   |
| 45   | T.08028037 | SCREW             | 2   |
| 46   | T.05013454 | STEERING LEVER    | 1   |
| 47   | T.08028041 | SCREW             | 4   |
| 48   | T.11117003 | TRACK END RH      | 1   |
| 49   | T.08025015 | NUT               | 4   |
| 50   | T.04024004 | CLAMP             | 2   |
| 51   | T.04043065 | TRACK ROD         | 1   |
| 52   | T.04021124 | BUSH              | 1   |
| 53   | T.11117014 | TRACK END LH      | 1   |
| 54   | T.05013453 | STEERING LEVER    | 1   |



## SUSPENSION



(CODE: 10.03.00.0040)

| Pos. | Code          | Description                | QTY |
|------|---------------|----------------------------|-----|
| 1    | 222000240090  | BOLT M24X2 L=90 ZINC.      | 2   |
| 2    | 206000250000  | WASHER Ø51/25 H=4 ZINC.    | 4   |
| 3    | 05102006      | SHOCK ABSORBER             | 2   |
| 4    | 05710020      | SHOCK ABSORBER SILENTBLOCK | 4   |
| 5    | 10.21.00.0031 | PLATE 350X55 H=10          | 2   |
| 6    | 10.21.00.0032 | PLATE 350X30 H=12          | 2   |
| 7    | 10.07.00.0153 | RIGHT SUSPENSION SUPPORT   | 1   |
| 8    | 10.07.05.0027 | AIR BAG UPPER SUPPORT      | 2   |
| 9    | 05101018      | SUSPENSION AIR BAG         | 2   |
| 10   | 10.07.10.0253 | AIR BAG UPPER DISC         | 2   |
| 11   | 10.07.00.0152 | LEFT SUSPENSION SUPPORT    | 1   |

**S.T. SYSTEM TRUCK S.p.A.***Trasformazioni e Soluzioni per Veicoli Industriali*


I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



| Pos. | Code          | Description                           | QTY |
|------|---------------|---------------------------------------|-----|
| 12   | 207000080032  | WASHER Ø321/8                         | 4   |
| 13   | 05906000      | RUBBER WASHER Ø40/10 H=10             | 4   |
| 14   | 10500010      | U-BOLT M24X2X101 L=310                | 4   |
| 15   | 10459050      | PLATE TO ADJUST AXLE ALIGNMENT        | 2   |
| 16   | 52000240000   | NUT M24X2 CL. 8                       | 2   |
| 17   | 222000240190  | BOLT 8.8 M24X2 L=190                  | 2   |
| 18   | 05710025      | SPRING SILENTBLOCK                    | 2   |
| 19   | 73000240000   | WASHER ØI=24                          | 8   |
| 20   | 10500051      | NUT M24X2 CL. 10                      | 8   |
| 21   | 05101010      | AIR BAG FOR AXLE LIFT                 | 2   |
| 22   | 10940118      | PLATE FOR AXLE LIFT                   | 2   |
| 23   | 10.10.00.0004 | SPRING                                | 2   |
| 24   | 10.23.10.0033 | AXLE LIFT AIR BAG LOWER SUPPORT       | 2   |
| 25   | 10500101      | NUT M30X3,5 CL. 8                     | 2   |
| 26   | 205000080110  | BOLT TSPEI 10.9 M8X110 ZINC.          | 4   |
| 27   | 10.23.10.0008 | PLATE FOR AXLE LIFT                   | 4   |
| 28   | 10.23.10.0034 | AXLE LIFT AIR BAG UPPER SUPPORT PLATE | 2   |
| 29   | 10459001      | SPRING EYE WASHER SET                 | 4   |
| 30   | 10500151      | BOLT TE 8.8 M30X3,5 L=190 FOR SPRING  | 2   |



## FUEL TANK 320 LITER GROUP




(CODE: 05019073)

| Pos. | Code          | Description           | QTY |
|------|---------------|-----------------------|-----|
| 1    | 01.02.00.0004 | PIN                   | 2   |
| 2    | 01.01.00.0179 | SUPPORT               | 2   |
| 3    | 50.50.00.0045 | STRAP                 | 2   |
| 4    | 05019072      | FUEL TANK (320 LITER) | 1   |
| 5    | 01304164      | SPACER L=0,04 M       | 4   |
| 6    | 50.50.00.0071 | SUPPORT               | 2   |
| 7    | 01.01.10.0056 | SPACER "C"            | 3   |
| 8    | 01.01.10.0057 | SPACER "C"            | 1   |
| 9    | 01.01.00.0374 | SPACER H=8            | 3   |
| 10   | 01.01.00.0373 | SPACER H=8            | 1   |



## FUEL TANK 260 LITER GROUP




(CODE: 05019074)

| Pos. | Code          | Description           | QTY |
|------|---------------|-----------------------|-----|
| 1    | 01.02.00.0004 | PIN                   | 2   |
| 2    | 01.01.00.0179 | SUPPORT               | 2   |
| 3    | 50.50.00.0017 | STRAP                 | 2   |
| 4    | 05019075      | FUEL TANK (320 LITER) | 1   |
| 5    | 01304164      | SPACER L=0,04 M       | 4   |
| 6    | 50.50.00.0074 | SUPPORT               | 2   |
| 7    | 01.01.10.0056 | SPACER "C"            | 3   |
| 8    | 01.01.10.0057 | SPACER "C"            | 1   |
| 9    | 01.01.00.0374 | SPACER H=8            | 3   |
| 10   | 01.01.00.0373 | SPACER H=8            | 1   |



**FUEL TANK 315 LITER GROUP (FOR LONG CAB)**




(CODE: 05019078)

| Pos. | Code          | Description           | QTY |
|------|---------------|-----------------------|-----|
| 1    | 01.02.00.0004 | PIN                   | 2   |
| 2    | 01.01.00.0179 | SUPPORT               | 2   |
| 3    | 50.50.00.0045 | STRAP                 | 2   |
| 4    | 05019077      | FUEL TANK (320 LITER) | 1   |
| 5    | 01304164      | SPACER L=0,04 M       | 4   |
| 6    | 50.50.00.0071 | SUPPORT               | 2   |
| 7    | 01.01.00.0224 | AIR INTAKE SUPPORT    | 1   |
| 8    | 01.01.10.0056 | SPACER "C"            | 3   |
| 9    | 01.01.10.0064 | SPACER "C"            | 1   |
| 10   | 01.01.00.0374 | SPACER H=8            | 2   |
| 11   | 01.01.00.0373 | SPACER H=8            | 1   |



## VERTICAL BATTERIES BOX




(CODE: 35.04.00.0017)

| Pos. | Code          | Description           | QTY |
|------|---------------|-----------------------|-----|
| 1    | 01.01.00.0394 | "L" PROFILE           | 1   |
| 2    | 03.05.25.0002 | SPACER H=70           | 4   |
| 3    | 01.01.00.0158 | BATTERY SUPPORT PLATE | 4   |
| 4    | 01.01.00.0387 | COVER FIXING STOP     | 1   |
| 5    | 01.01.00.0156 | "C" PROFILE           | 1   |
| 6    | 35.04.00.0018 | FRONT COVER           | 1   |
| 7    | 35.04.00.0016 | BOX                   | 1   |



## OIL CYLINDER (WITH AIR CENTRING)




(CODE: 601268)

| Pos. | Code     | Description       | QTY |
|------|----------|-------------------|-----|
| 1    | 901166   | SEEGER            | 2   |
| 2    | 05802014 | FITTING           | 3   |
| 3    | 05802018 | UNION "T" FITTING | 1   |
| 4    | 801145   | BALL JOINT        | 1   |
| 5    | 901272   | RUBBER GAITOR     | 1   |
| 6    | 901167   | SFERICAL JOINT    | 1   |




## HYDRAULIC FITTINGS FOR OIL CYLINDER



| Pos. | Code     | Description                               | QTY |
|------|----------|-------------------------------------------|-----|
| 1    | 05850152 | 90° ELBOW FITTING M. M16X1,5 - M. M18X1,5 | 2   |


## OIL CYLINDER SEAL REPAIR KIT



(CODE: 601268GUA)




## CONICAL KING PIN KIT



(CODE: 15011001)

## HYDRAULIC PUMP ASSEMBLY




(CODE: 601362)

| Pos. | Code   | Description    | QTY |
|------|--------|----------------|-----|
| 1    | 901007 | HYDRAULIC PUMP | 1   |
| 2    | 701021 | FLANGE         | 1   |
| 3    | 951652 | O-RING         | 1   |




## HYDRAULIC FITTINGS FOR HYDRAULIC PUMP



| Pos. | Code     | Description                                            | QTY |
|------|----------|--------------------------------------------------------|-----|
| 1    | 05850152 | 90° ELBOW FITTING M. M16X1,5 - M. M18X1,5              | 1   |
| 2    | 05850046 | 90° ELBOW FITTING F. M30X2 - PIPE FITTING T.3/4"       | 1   |
| 3    | 05850048 | FITTING NIPPLO- M. M26X1,5 WITH SEAL - M. M30X2 - T.22 | 1   |



## FLANGE GROUP




(CODE: 30.04.25.0006)

| Pos. | Code          | Description        | QTY |
|------|---------------|--------------------|-----|
| 1    | 951650        | O-RING Ø2,62X75,87 | 1   |
| 2    | 03.02.00.0001 | PAD Ø35X47X7       | 2   |
| 3    | 30.04.30.0010 | SHAFT              | 1   |
| 4    | 30.04.30.0011 | RING Ø44/51,8      | 1   |
| 5    | 30.04.30.0009 | FLANGE             | 1   |
| 6    | 901463        | SEEGER Ø35         | 1   |



**BY PASS VALVE WITH THERMOSTAT ASSEMBLY**




(CODE: 601576)

| Pos. | Code     | Description                        | QTY |
|------|----------|------------------------------------|-----|
| 1    | 05850990 | PRESSURE TAKE-OFF                  | 1   |
| 2    | 901110   | BYPASS ELECTRO-VALVE               | 1   |
| 3    | 901183G  | BY PASS SOLENOID                   | 1   |
| 4    | 901585   | BIMETALIC TEMPERATURE SWITCH - 90° | 1   |




**SUPPORT AND HYDRAULIC FITTINGS FOR BY PASS VALVE**



| Pos. | Code     | Description                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 05850052 | FITTING M. M16X1,5 – M. M18X1,5 | 4   |
| 2    | 45114501 | SUPPORT                         | 1   |




## OIL TANK GROUP



| Pos. | Code          | Description                                | QTY |
|------|---------------|--------------------------------------------|-----|
| 1    | 901513        | COVER WITH OIL LEVEL INDICATOR             | 1   |
| 2    | 30.05.00.0002 | OIL TANK STEEL PLATE (1,7 LITER)           | 1   |
| 3    | 901496        | FILTER                                     | 1   |
| 4    | 951651        | SEAL O-RING                                | 1   |
| 5    | 30.05.10.0002 | BOTTOM COVER                               | 1   |
| 6    | 05850048      | FITTING M26X1,5 - M30X2                    | 1   |
| 7    | 03.05.70.0001 | MALE PLUG ½ "BSP                           | 2   |
| 8    | 801370        | JUNCTION CONNECTOR F. M16x1, 5 - M. ½ "BSP | 1   |
| 9    | 06310001      | COPPER WASHER 21,5X27X1,5                  | 4   |
| 10   | 03.05.25.0001 | NUT ½" BSP LOW                             | 2   |
| 11   | 801374        | FITTING JOINT ½ "BSP                       | 1   |




## KIT FOR MODULATING VALVE ANCHORING



| Pos. | Code          | Description          | QTY |
|------|---------------|----------------------|-----|
| 1    | 05159102      | DAMPENER ROD         | 1   |
| 2    | 25.07.00.0012 | BAR                  | 1   |
| 3    | 10300191      | REAR BAR SUPPORT     | 1   |
| 4    | 25.06.00.0028 | DAMPENER ROD SUPPORT | 1   |




## RADIATOR OIL/AIR GROUP



| Pos. | Code     | Description                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 05202405 | RADIATOR OIL/AIR                | 1   |
| 2    | 01150047 | RADIATOR OIL/AIR SUPPORT        | 2   |
| 3    | 05850055 | FITTING R 1/2" GAS – M. M18X1,5 | 2   |



## DISTRIBUTOR ASSEMBLY




(CODE: 501569C)

| Pos. | Code   | Description                       | QTY |
|------|--------|-----------------------------------|-----|
| 1    | 601087 | DISTRIBUTOR LEVER SPRING ASSEMBLY | 1   |
| 2    | 601081 | DISTRIBUTOR (90 BAR)              | 1   |
| 3    | 601570 | DISTRIBUTOR SUPPORT GROUP         | 1   |
| 4    | 701568 | DISTRIBUTOR ROTATION BOLT SUPPORT | 1   |
| 5    | 801611 | DISTRIBUTOR LEVER                 | 1   |
| 6    | 701338 | DISTRIBUTOR SPRING GROUP          | 1   |




## HYDRAULIC FITTINGS FOR DISTRIBUTOR



| Pos. | Code     | Description                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 05850050 | FITTING M. M14X1,5 – M. M16X1,5 | 4   |




## COMMAND CABLE GROUP



| Pos. | Code          | Description                                    | QTY |
|------|---------------|------------------------------------------------|-----|
| 1    | 05223001      | COMMAND CABLE L=3000 MM (FOR WB=5100 MM) (LHD) | 1   |
|      | 05223501      | COMMAND CABLE L=3500 MM (FOR WB=5100 MM) (RHD) |     |
|      | 05223501      | COMMAND CABLE L=3500 MM (FOR WB=5600 MM) (LHD) |     |
|      | 05224001      | COMMAND CABLE L=4000 MM (FOR WB=5600 MM) (RHD) |     |
|      | 05224001      | COMMAND CABLE L=4000 MM (FOR WB=6000 MM) (LHD) |     |
|      | 05224501      | COMMAND CABLE L=4500 MM (FOR WB=6000 MM) (RHD) |     |
|      | 05224501      | COMMAND CABLE L=4500 MM (FOR WB=6400 MM) (LHD) |     |
|      | 05225001      | COMMAND CABLE L=5000 MM (FOR WB=6400 MM) (LHD) |     |
| 1.1  | 05220001      | RUBBER GAITOR + BALL JOINT KIT                 | 1   |
| 2    | 45219001      | REAR CABLE SUPPORT                             | 1   |
| 3    | 30.15.10.0039 | FRONT CABLE DROP ARM SUPPORT (LHD)             | 1   |
|      | 30.15.10.0049 | FRONT CABLE DROP ARM SUPPORT (RHD)             |     |
| 4    | 01.01.00.0306 | FRONT CABLE BALL JOINT SUPPORT                 | 1   |
| 5    | 30.15.10.0040 | FRONT CABLE CHASSIS SUPPORT (LHD)              | 1   |
|      | 30.15.10.0046 | FRONT CABLE CHASSIS SUPPORT (RHD)              |     |




## STEERING INVERSION GROUP (RHD)



| Pos. | Code          | Description                  | QTY |
|------|---------------|------------------------------|-----|
| 1    | 30.15.10.0048 | LEVER (RHD)                  | 1   |
| 2    | 30.15.10.0047 | SUPPORT (RHD)                | 1   |
| 3    | 30.21.00.0037 | ROD M8 WITH BALL JOINT (RHD) | 1   |



## DISTRIBUTOR STEERING ROD GROUP




(CODE: 45250183)

| Pos. | Code         | Description              | QTY |
|------|--------------|--------------------------|-----|
| 1    | 45250083     | DISTRIBUTOR STEERING ROD | 1   |
| 2    | 20220012S000 | NUT M12 (LEFT)           | 1   |
| 3    | 05304018     | BALL JOINT LEFT          | 1   |
| 4    | 202200120000 | NUT M12                  | 1   |
| 5    | 05304017     | BALL JOINT RIGHT         | 1   |
| 6    | 51000120000  | NUT M12                  | 1   |




## ELECTRO-VALVE SUPPORT



(CODE: 25.06.00.0009)




## ESSICATOR GROUP SUPPORT



(CODE: 25.06.00.0027)




## AIR TANKS SUSPENSION GROUP



| Pos. | Code     | Description                               | QTY |
|------|----------|-------------------------------------------|-----|
| 1    | 05154023 | AIR TANK (15 LITERS) Ø246                 | 2   |
| 2    | 25500053 | AIR TANK PROFILED SUPPORT FOR NR. 1 TANK  | 4   |
| 3    | 05154017 | AIR TANK FLEXIBLE CLAMP FOR AIR TANK Ø246 | 6   |
| 4    | 05154018 | AIR TANK FLEXIBLE CLAMP FOR AIR TANK Ø280 | 4   |
| 5    | 05154101 | MANUAL VALVE FOR AIR TANK DRAIN           | 2   |




## AIR TANK SUPPORT





(CODE: 25.06.00.0011)

## AIR TANK SUPPORT



| Pos. | Code          | Description  | QTY |
|------|---------------|--------------|-----|
| 1    | 25.10.05.0005 | "L" PROFILE  | 2   |
| 2    | 25.10.05.0006 | CROSS MEMBER | 1   |

## RELAY AND "AND VALVE" FOR BRAKING SYSTEM




(CODE: 05160023)

**S.T. SYSTEM TRUCK S.p.A.***Trasformazioni e Soluzioni per Veicoli Industriali*



I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



| Pos. | Code          | Description                            | QTY |
|------|---------------|----------------------------------------|-----|
| 1    | 05157501      | RELAY VALVE                            | 2   |
| 2    | 05802350      | ADAPTOR SWIVEL M16X1,5 / M22X1,5       | 2   |
| 3    | 05802230      | REDUCTION UNION M22X1,5 - M16X1,5      | 1   |
| 4    | 05809912      | WASHER Ø22 WITH RUBBER                 | 1   |
| 5    | 05810185      | SWIVEL FITTING M22X1,5                 | 3   |
| 6    | 05810375      | "F" FITTING                            | 2   |
| 7    | 05810265      | THREADLESS PUSH-IN COUPLING T.12       | 2   |
| 8    | 05810050      | PUSH-IN COUPLING T.8                   | 1   |
| 9    | 05155501      | "AND" VALVE (MINIMUM PRESSURE) M22X1,5 | 1   |
| 10   | 05810305      | INTEGRAL PUSH-IN FITTING T.8           | 1   |
| 11   | 05810320      | INTEGRAL PUSH-IN FITTING T.12          | 1   |
| 12   | 05800615      | PLUG M22X1,5                           | 2   |
| 13   | 25.06.00.0006 | SUPPORT                                | 1   |
| 14   | 50000080000   | NUT M8                                 | 2   |
| 15   | 05810180      | SWIVEL FITTING M16X1,5                 | 1   |
| 16   | 05810250      | THREADLESS PUSH-IN COUPLING T.8        | 2   |



## GROUP FITTINGS FOR AXLE LIFT AND LOAD TRANSFER



(CODE: 05160024)

**S.T. SYSTEM TRUCK S.p.A.***Trasformazioni e Soluzioni per Veicoli Industriali*

I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)




| Pos. | Code             | Description                                             | QTY |
|------|------------------|---------------------------------------------------------|-----|
| 1    | 25500057         | SUPPORT                                                 | 1   |
| 2    | 05156030-3.7/2.3 | TWO SECTION PNEUMATIC VALVE (ADJUSTED TO 3,7 / 2,3 BAR) | 1   |
| 3    | 05156013         | TWO SECTION PNEUMATIC VALVE WITH ELECTRO-VALVE          | 1   |
| 4    | 05802016         | PUSH-IN SWIVEL ELBOW JOINT WITH O-RING 1/8" G – T.8X1   | 3   |
| 5    | 05810305         | INTEGRAL PUSH-IN FITTING T.8                            | 3   |
| 6    | 05810170         | SWIVEL FITTING M12X1,5                                  | 2   |
| 7    | 05152251         | ELECTRO-VALVE N.O.                                      | 1   |
| 8    | 05153061         | PRESSURE SWITCH (CONTACT N.O.) – 5 BAR                  | 1   |
| 9    | 05802232         | REDUCTION UNION DIRECT M16X1,5 – R 1/4"GAS              | 1   |
| 10   | 05809910         | WASHER WITH RUBBER LINER Ø16                            | 1   |
| 11   | 05810180         | SWIVEL FITTING M16X1,5                                  | 2   |
| 12   | 05810250         | THREADLESS PUSH-IN COUPLING T.8                         | 2   |
| 13   | 05810375         | "F" FITTING                                             | 1   |
| 14   | 05810035         | PUSH-IN COUPLING T.8 - M12X1,5                          | 1   |
| 15   | 05800485         | T-WAY FITTING F. M16X1,5                                | 1   |
| 16   | 05152510         | FILTER SILENCES R 1/8" G                                | 1   |





**PRESSURE RELIEF VALVE GROUP (7 BAR)**




(CODE: 05163501D)

| Pos. | Code     | Description                                           | QTY |
|------|----------|-------------------------------------------------------|-----|
| 1    | 05153501 | PRESSURE RELIEF VALVE                                 | 1   |
| 2    | 05153502 | SUPPORT                                               | 1   |
| 3    | 05802004 | PUSH-IN FITTING 1/4" G – T.8                          | 2   |
| 4    | 05802016 | PUSH-IN SWIVEL ELBOW FITTING WITH O-RING 1/8" G - T.8 | 2   |



**GROUP FITTINGS FOR PRESSURE RELIEF VALVE (5,5 BAR)**




(CODE: 05166513A)

| Pos. | Code         | Description                                  | QTY |
|------|--------------|----------------------------------------------|-----|
| 1    | 05810375     | "F" FITTING                                  | 1   |
| 2    | 50000080000  | NUT M8                                       | 1   |
| 3    | 203000080000 | WASHER Ø8 ZINC.                              | 2   |
| 4    | 05156513     | PRESSURE RELIEF VALVE (PRESSURE MAX 5,5 BAR) | 1   |
| 5    | 05810250     | THREADLESS PUSH-IN COUPLING T.8              | 2   |
| 6    | 05810305     | INTEGRAL PUSH-IN FITTING T.8                 | 1   |
| 7    | 05810185     | SWIVEL FITTING M22X1,5                       | 2   |
| 8    | 220000080080 | NUT M8X80 ZINC                               | 1   |



**GROUP FITTING FOR MODULATING VALVE**



(CODE: 05169059B)

**S.T. SYSTEM TRUCK S.p.A.***Trasformazioni e Soluzioni per Veicoli Industriali*

I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



| Pos. | Code          | Description                    | QTY |
|------|---------------|--------------------------------|-----|
| 1    | 05159059      | MODULATING VALVE               | 1   |
| 2    | 05800305      | UNION QUICK FIT 90° P5 – T.8X1 | 1   |
| 3    | 05800205      | UNION TURNABLE P5 M12X1,5      | 1   |
| 4    | 25.07.00.0002 | SUPPORT                        | 1   |
| 5    | 05810035      | PUSH-IN COUPLING T.8 - M12X1,5 | 1   |
| 6    | 06901501      | THREADED ROD M8 (0,19 MT)      | 1   |
| 7    | 05304015      | BALL JOINT M8X1,25             | 1   |
| 8    | 203000080000  | WASHER Ø8 ZINC.                | 5   |
| 9    | 50000080000   | NUT M8                         | 3   |
| 10   | 202200080000  | NUT M8                         | 1   |
| 11   | 05159101      | SHOCK RUBBER                   | 1   |
| 12   | 221000080035  | BOLT M8X35                     | 2   |





## BRAKE CHAMBER PIPES



| Pos. | Code     | Description        | QTY |
|------|----------|--------------------|-----|
| 1    | 05154555 | PIPE 3/8" L=550 MM | 2   |


## BRAKE CHAMBER 16"



(CODE: 05151572)




## PROXIMITY SENSOR WITH WIRED CABLE



(CODE: 35951001)

## ELECTRICAL SUPPLY CABLE FOR STEERING (IN CABIN)



(CODE: 35.03.05.0067)



## ELECTRICAL SUPPLY CABLE FOR STEERING (CABIN - CHASSIS)




| Pos. | Code          | Description                                             | QTY |
|------|---------------|---------------------------------------------------------|-----|
| 1    | 35.03.05.0051 | ELECTRICAL SUPPLY CABLE FOR STEERING FOR WB $\leq$ 5100 | 1   |
| 1    | 35.03.05.0053 | ELECTRICAL SUPPLY CABLE FOR STEERING FOR WB $>$ 5100    | 1   |

## ELECTRICAL SUPPLY CABLE FOR LOW OIL LEVEL



(CODE: 35951021)



**ELECTRICAL SUPPLY CABLE FOR BY-PASS VALVE AND THERMAL SWITCH**



**(CODE: 35956012)**

# S.T. SYSTEM TRUCK S.p.A.

*Trasformazioni e Soluzioni per Veicoli Industriali*

I - 46048 Roverbella (MN) - via Paesa, 28  
Tel. +39 0376 696809 - Fax +39 0376 176 01 80  
P.I. 03117430235 - C.F. 02209770797  
e-mail: [info@stsystemtruck.com](mailto:info@stsystemtruck.com)  
web: [www.stsystemtruck.com](http://www.stsystemtruck.com)



## CONTACTS

### S.T. System Truck S.p.A.

Via Paesa, 28 – 46048 Roverbella (MN) – ITALY

Tel. +39 0376 696809 | Fax +39 0376 1760180

[www.stsystemtruck.com](http://www.stsystemtruck.com)

General Information:

[info@stsystemtruck.com](mailto:info@stsystemtruck.com)

Sales:

[export@stsystemtruck.com](mailto:export@stsystemtruck.com)

Aftersales:

[supporto@stsystemtruck.com](mailto:supporto@stsystemtruck.com)

Technical:

[tecnico@stsystemtruck.com](mailto:tecnico@stsystemtruck.com)



CTRL+Click on link to open Google Maps:

<https://goo.gl/maps/SjnymEHU3cx>

### How to find us:

#### By car:

Sat Nav coordinates :

**45°17'08.2"N+10°47'58.8"E**

From Milan → Motorway A4 exit Peschiera del Garda. Take SR249 (passing Salionze, Valeggio sul Mincio) to Roverbella.

From Venice → Motorway A4. At A4/A22 conjunction take direction Modena. Exit A22 Nogarole Rocca. Take SR62 then SP17 to Roverbella.

From Bologna → Motorway A1. At A1/A22 conjunction take direction Verona-Brennero. Exit Nogarole Rocca. Take SR62 then Sp17 to Roverbella.

From Munich (D) → Motorway A22 direction Modena. Exit A22 Nogarole Rocca. Take SR62 then SP17 to Roverbella.

#### By train:

Trenitalia main lines East-West and North-South directions converge to Verona. Then Mozzecane Station with local line is the nearest station to our facilities.

#### By plane:

Verona airport Valerio Catullo is the nearest airport to our facility. (20 min. by taxi).

Other nearby international airports are: Bergamo Orio al Serio (1,25 hr), Venice Marco Polo (1,25 hr), Bologna Guglielmo Marconi (1,25 hr), Milan Linate (1,5 hr) and Milan Malpensa (2,5 hr).